

目 次 (11~50 人槽)

1. 環境配慮型浄化槽適合機種・仕様等一覧表 (1~6 頁)

メーカー名	機種名	種別	人 槽	頁
アムズ(株)	CXU2	通常型	14, 18, 21, 25, 30, 35, 40, 45, 50	1
	CXA	BOD10	12, 14, 18, 24, 27	6
(株)アールエコ	AXN	通常型	12, 14, 15, 16, 18, 20, 21, 25, 30, 35, 40, 45, 50	1
(株)クボタ	HCZ	通常型	12, 14, 15, 16, 18, 20, 21, 25, 28, 30, 32, 35, 40, 42, 45, 50	1
積水ホームテクノ(株)	SGCN	通常型	25, 35, 40, 42	2
大栄産業(株)	FCX-T	通常型	33, 35, 38, 40, 42, 45, 48, 50	2
	FCX-T20	通常型	48, 50	2
	FCX-C II	通常型	12, 14, 15, 16, 18, 20, 21, 30, 33, 35, 38, 40, 42, 45	2
	FDNIV	BOD10	14, 18, 21, 25, 28, 30, 35, 40, 45, 50	6
(株)ダイキアクシス	DCX2	通常型	12, 14, 16, 18, 20, 21, 30, 35, 40, 42, 45, 50	2
(株)西原ネオ	NCZ	通常型	12, 14, 15, 16, 18, 20, 21, 25, 28, 30, 32, 35, 40, 42, 45, 50	3
	MCB-b	BOD10	14, 18, 21, 25, 28	6
	MCB-c	BOD10	30, 35, 40, 45, 50	6
	MCB-d	BOD10	14, 18, 21, 25, 28, 30, 35, 40, 45, 50	6
ニッコー(株)	NSA	通常型	14, 16, 18, 21, 25, 30, 35, 40, 45, 50	3
	浄化王 χ	BOD10	18	6
(株)ハウステック	KGRN	通常型	14, 18, 21, 25, 30, 35, 40, 42, 45, 50	3
フジクリーン工業(株)	CA	通常型	14, 18, 20, 21	4
	CV	通常型	12, 14, 16, 18, 20, 21, 25, 28, 30, 35, 40, 42, 45, 50	4
	CE	通常型	25, 28, 30	4
	CSL II	通常型	35, 40, 45, 50	4
	CEN	BOD10	12, 14, 18, 20, 21	7
	CEN I	BOD10	25, 28, 30, 35, 40, 45, 50	7
	CEN II	BOD10	25, 28, 30, 35, 40, 45, 50	7
	CRX	臭除去	14, 18, 21, 25, 30, 35, 40, 45, 50	7
藤吉工業(株)	FCZ	通常型	12, 14, 15, 16, 18, 20, 21, 25, 28, 30, 32, 35, 40, 42, 45, 50	4
前澤化成工業(株)	VZL	通常型	14, 18, 21, 25, 30, 35, 40, 45, 50	5

2. 参考資料：人槽別の消費電力基準一覧表…… 8

3. 掲載履歴 …………… 9

環境配慮型浄化槽 適合機種・仕様等一覧表 (通常型：BOD15 又は 20mg/L 以下) その1

『消費電力基準 $n \times 7.5$ W以下 (n：人槽)』

メーカー名	機種名	処理水質値 (mg/L)			人槽 (人)	消費電力 (W)	総容量 (m ³)	
		BOD	T-N	T-P				
アムズ(株) ※同じ人槽で異なる 機種のプロワを使用 する場合がある。	CXU2	20	-	-	14	68~95	5.630	
					18	75~125	6.460	
					21		7.160	
					25	115~160	8.420	
					30		9.570	
					35	157~185	11.500	
					40		12.650	
					45	225~265	13.810	
					50		14.920	
(株)アールエコ	AXN	20	20	-	12	68	4.297	
					14			
					15	100/112	6.345	
					16			
					18			
					20			
					21	160/185	7.756	
					25			
					30			9.132
					35			10.510
					40	200/230	12.217	
					45			13.606
					50	280/310	14.973	
(株)クボタ	HCZ	20	20	-	12	68	4.297	
					14			
					15	100/112	6.345	
					16			
					18			
					20			
					21	160/185	7.756	
					25			
					28			9.132
					30	210/240	10.510	
					32			
					35			
					40	200/230	12.217	
					42			
					45			13.606
50	280/310	14.973						

環境配慮型浄化槽 適合機種・仕様等一覧表（通常型：BOD15 又は 20mg/L 以下） その2

『消費電力基準 $n \times 7.5$ W以下 (n：人槽)』

メーカー名	機種名	処理水質値 (mg/L)			人槽 (人)	消費電力 (W)	総容量 (m ³)	
		BOD	T-N	T-P				
積水ホームテクノ(株)	SGCN	20	20	-	25	185	8.930	
					35	230	11.463	
					40		13.542	
					42			
大栄産業(株) ※同じ人槽で地域により異なる機種のプロワを使用する場合があります。	FCX-T	20	20	-	33	200/215	12.218	
						175/185		
					35	200/215	12.843	
						175/185		
					38	200/215	13.931	
						175/185		
					40	200/215	14.518	
						175/185		
					42	255/265	15.070	
						225/250		
	45	255/265	15.913					
		225/250						
	48	255/265	16.831					
		225/250						
	50	255/265	17.381					
		225/250						
		FCX-T20	20	20	-	48	225	16.550
						50		17.243
		FCX-C II	20	20	-	12	51	4.680
						14	95	5.969
						15		
						16		
						18	91	7.037
	20					132/145	8.414	
	21							
	30					200/215	11.629	
	33						13.230	
	35							
	38					225	14.826	
	40							
	42						16.669	
	45							
(株)ダイキアクシス	DCX2	20	20	-	12	51	4.680	
					14	95	5.969	
					16			
					18			91
					20	132/145	8.414	
					21			
					30	200/215	11.629	
					35		13.230	
					40		225	14.826
					42			
					45	16.669		
50								

環境配慮型浄化槽 適合機種・仕様等一覧表（通常型：BOD15 又は 20mg/L 以下） その3
 『消費電力基準 $n \times 7.5$ W以下 (n：人槽)』

メーカー名	機種名	処理水質値 (mg/L)			人槽 (人)	消費電力 (W)	総容量 (m ³)
		BOD	T-N	T-P			
(株)西原ネオ	NCZ	20	20	-	12	68	4.297
					14		
					15	100/112	6.345
					16		
					18		
					20		
					21	160/185	7.756
					25		9.132
					28		
					30	210/240	10.510
					32		
					35	200/230	12.217
					40		13.606
					42		
45	280/310	14.973					
ニッコー(株)	NSA	20	20	-	14	68/68	3.848
					16	100/112	5.714
					18		
					21		
					25	160/185	8.115
					30		
					35	210/240	9.460
					40		10.847
					45	200/230	12.189
					50		13.493
(株)ハウステック	KGRN	20	20	-	14	91	5.695
					18	115	6.715
					21	157	7.473
					25		8.930
					30	225	10.237
					35	230	11.463
					40		13.542
					42		
					45	300/330	15.517
					50	375	

環境配慮型浄化槽 適合機種・仕様等一覧表 (通常型：BOD15 又は 20mg/L 以下) その4
 『消費電力基準 $n \times 7.5$ W以下 (n：人槽)』

メーカー名	機種名	処理水質値 (mg/L)			人槽 (人)	消費電力 (W)	総容量 (m ³)
		BOD	T-N	T-P			
フジクリーン工業(株)	CA	20	20	-	14	99	4.334
					18	131	5.463
					20	148	6.359
					21		
	CV	20	20	-	12	69	3.996
					14		
					16	86	5.247
					18		
					20	91/100	6.098
					21		
					25	130/150	7.219
					28		
					30		
					35	170/200	9.952
					40		
					42		
	45	230	14.192				
	50						
	CE	20	20	-	25	130/150	10.122
					28		12.110
30							
CSL II	20	-	-	35	170/200	11.478	
				40		12.698	
				45	230	14.020	
				50		15.568	
藤吉工業(株)	FCZ	20	20	-	12	71/74	4.297
					14		
					15	96	6.345
					16		
					18	115/125	
					20		
					21	175/185	7.756
					25		9.132
					28		
					30	225/222	10.510
					32		
					35	225/250	
					40	230/250	12.217
					42		13.606
45							
50	280/310	14.973					

境配慮型浄化槽 適合機種・仕様等一覧表 (通常型：BOD15 又は 20mg/L 以下) その5
 『消費電力基準 $n \times 7.5$ W以下 (n：人槽)』

メーカー名	機種名	処理水質値 (mg/L)			人槽 (人)	消費電力 (W)	総容量 (m ³)
		BOD	T-N	T-P			
前澤化成工業(株)	VZL	20	-	-	14	95	5.630
					18	125	6.460
					21		7.160
					25	160	8.420
					30		9.570
					35	185	11.50
					40		12.65
					45	255/265	13.81
					50		14.92

環境配慮型浄化槽 適合機種・仕様等一覧表 (BOD10 mg/L 以下)

その1

『消費電力基準 $n \times 10.2$ W以下 (n：人槽)』

メーカー名	機種名	処理水質値 (mg/L)			人槽 (人)	消費電力 (W)	総容量 (m ³)
		BOD	T-N	T-P			
アムズ(株)	CXA	10	10	-	12	115	6.760
					14	136	7.970
					18	157	9.070
					24	230	11.970
					27	260	13.070
大栄産業(株)	FDNIV	10	10	-	14	117	8.582
					18	140/150	9.591
					21	208 (50Hz)	10.593
					25	209/219	11.849
					28	261/285	13.076
					30	261/286	14.735
					35	266/286	16.477
					40	316/346	18.212
					45	412/432	19.935
					50		21.905
(株)西原ネオ	MCB-b	10	10	-	14	104	8.270
					18	144/154	9.677
					21	208 (50Hz)	10.698
					25	209/219	11.982
					28	258 (50Hz)	13.009
	MCB-c	10	10	-	30	258/283	14.735
					35	263/283	16.477
					40	313/343	18.212
					45	409/429	19.935
					50		21.905
	MCB-d	10	10	-	14	104	8.582
					18	144/154	9.591
					21	208 (50Hz)	10.593
					25	209/219	11.849
					28	258 (50Hz)	13.076
					30	258/283	14.735
					35	263/283	16.477
40					313/343	18.212	
45					409/429	19.935	
50						21.905	
ニッコー(株)	浄化王 χ	10	10	-	18	175 (50Hz)	10.680

環境配慮型浄化槽 適合機種・仕様等一覧表 (BOD10 mg/L 以下)

その2

『消費電力基準 $n \times 10.2$ W以下 (n：人槽)』

メーカー名	機種名	処理水質値 (mg/L)			人槽 (人)	消費電力 (W)	総容量 (m ³)
		BOD	T-N	T-P			
フジクリーン工業(株)	CEN	10	10	-	12	91/100	8.546
					14		
					18	130/150	10.239
					20		12.237
					21		
	CEN I	10	10	-	25	230	15.513
					28		18.135
					30		
					35	260/300	20.627
					40	360/380	23.694
					45	400/430	26.539
	50	29.288					
	CEN II	10	10	-	25	230	16.113
					28		18.735
					30		
					35	260/300	21.527
					40	360/380	24.594
					45	400/430	27.439
50					30.188		

環境配慮型浄化槽 適合機種・仕様等一覧表 (りん除去型)

『消費電力基準 $n \times 15.7$ W以下 (n：人槽)』

メーカー名	機種名	処理水質値 (mg/L)			人槽 (人)	消費電力 (W)	総容量 (m ³)
		BOD	T-N	T-P			
フジクリーン工業(株)	CRX	10	10	1	14	148	7.425
					18	168/177	9.113
					21	207/227	10.875
					25	253/273	12.227
					30	294/324	14.508
					35	401	17.102
					40	451/491	19.356
					45	561/621	21.916
					50	681	24.144

2. 参考資料：人槽別の消費電力基準一覧表

①通常型		②BOD10mg/L以下		③りん除去型	
人槽(人)	消費電力基準 (W)	人槽(人)	消費電力基準 (W)	人槽(人)	消費電力基準 (W)
	$n \times 7.5$		$n \times 10.2$		$n \times 15.7$
11	82	11	112	11	172
12	90	12	122	12	188
13	97	13	132	13	204
14	105	14	142	14	219
15	112	15	153	15	235
16	120	16	163	16	251
17	127	17	173	17	266
18	135	18	183	18	282
19	142	19	193	19	298
20	150	20	204	20	314
21	157	21	214	21	329
22	165	22	224	22	345
23	172	23	234	23	361
24	180	24	244	24	376
25	187	25	255	25	392
26	195	26	265	26	408
27	202	27	275	27	423
28	210	28	285	28	439
29	217	29	295	29	455
30	225	30	306	30	471
31	232	31	316	31	486
32	240	32	326	32	502
33	247	33	336	33	518
34	255	34	346	34	533
35	262	35	357	35	549
36	270	36	367	36	565
37	277	37	377	37	580
38	285	38	387	38	596
39	292	39	397	39	612
40	300	40	408	40	628
41	307	41	418	41	643
42	315	42	428	42	659
43	322	43	438	43	675
44	330	44	448	44	690
45	337	45	459	45	706
46	345	46	469	46	722
47	352	47	479	47	737
48	360	48	489	48	753
49	367	49	499	49	769
50	375	50	510	50	785

3. 掲載履歴

• 2019/ 2/28	環境配慮型新基準（案）の適合機種一覧表掲載		
• 2019/ 3/22	フジクリーン工業(株)	CA	14, 18, 20, 21 追加
		CV	35, 40, 42, 45, 50 追加
• 2019/ 4/ 1	(株)ハウステック	KGRN	14, 18, 21, 30, 50 追加
• 2019/ 9/10	フジクリーン工業(株)	CV	12, 14, 16, 18, 20, 21, 25, 28, 30 追加
• 2020/ 3/12	(株)ハウステック	KGRN	45 追加、14, 18, 21, 25, 30, 45, 50 変更
• 2020/10/30	(株)アールエコ	AXN	15 追加、16 変更、32 (60Hz) 追加
• 2021/ 7/28	(株)西原ネオ	NCN-A	21, 45, 50 変更
		NCN-B	45, 50 変更
		MCB-b	14, 18, 28 変更
		MCB-c	30, 35, 40, 45, 50 変更
		MCB-d	18, 28, 30, 35, 40, 45, 50 変更
• 2021/ 9/16	ニッコー(株)	NSE	14 変更
• 2022/ 4/ 1	アムズ(株)	CXU2	14, 18, 21, 25, 30, 35, 40, 45, 50 変更
		CXA	12, 14, 18, 24, 27, 35, 45, 50 追加
• 2022/ 4/ 1	アムズ(株)	CXA	35, 45, 50 削除
• 2023/ 1/ 5	ニッコー(株)	NSE	25 追加、30, 35, 40 変更
• 2023/ 3/24	ニッコー(株)	NSA	14, 16, 18, 21, 25, 30, 35 追加
• 2023/ 7/20	大栄産業(株)	FCX-C	12, 14, 15, 16, 18, 20, 21, 25, 28, 30, 33, 35, 38, 40, 42, 45, 48, 50 削除
	(株)ダイキアクシス	DCX	12, 14, 16, 18, 20, 21, 25, 30, 35, 40, 42, 45, 50 削除
	(株)西原ネオ	NCN-A	14, 18, 21, 25, 30, 35, 40, 45, 50 削除
		NCN-B	35, 40, 45, 50 削除
• 2023/ 8/10	ニッコー(株)	NSA	40, 45, 50 追加
	藤吉工業(株)	FCD-X	14, 18, 20, 21, 25, 30, 35, 40, 45, 50 削除
		FCZ	12, 14, 15, 16, 18, 20, 21, 25, 28, 30, 32, 35, 40, 42, 45, 50 追加
• 2023/12/19	(株)アールエコ	AXN	12, 14, 15, 16, 18, 20, 21, 25, 28, 30, 32, 35, 40, 42, 45 変更
	(株)クボタ	HCZ	12, 14, 15, 16, 18, 20, 21, 25, 28, 30, 32, 35, 40, 42, 45 変更
• 2023/12/28	ニッコー(株)	NSE	14, 25, 30, 35, 40, 45, 50 削除
• 2024/ 1/ 9	(株)ダイキアクシス	DCX2	12, 14, 16, 18, 20, 21, 30, 35, 40, 42, 45, 50 追加
• 2024/ 1/16	大栄産業(株)	FCX-T20	48, 50 追加
		FCX-C II	12, 14, 15, 16, 18, 20, 21, 30, 33, 35, 38, 40, 42, 45 追加
• 2024/ 3/14	(株)アールエコ	BMM	15, 18, 21, 25, 30, 35, 40, 45, 50 削除
• 2024/12/ 6	(株)アールエコ	AXN	28, 32, 42 削除
• 2024/12/18	(株)西原ネオ	NCZ	12, 14, 15, 16, 18, 20, 21, 25, 28, 30, 32, 35, 40, 42, 45, 50 追加